





2011000708Z



(2011)国认监认字(134)号



Certificate of Type Test for Special Equipment

No. TX F330-014-13 0066

**Applicant's name and
address:**

Oleo Buffers(Shanghai)Co., Ltd.
Plant A15 Xinfei Garden No.3802 Shengang Road
Songjiang Shanghai

**Manufacturer's name
and address:**

Oleo International
Grovelands, Longford Road, Exhall, Coventry,
CV79NE England

**Name of product
(Type of equipment):**

Lift buffer
(Buffer)

Model and specifications:

SEB20.2

Rated speed of the lift: 2.03m/s

Permissible masses: 450kg~4545kg

Configuration of product: Configuration of buffer

Type test report No.: T14-F33-13-066

This certificate is valid for products of the models and specifications below
(without change of the product configuration):

Rated speed of the buffer is not more than 2.03m/s and the permissible masses
of one buffer are 450kg~4545kg.

After type test, this product is accord with *Regulation for type tests of lifts (2012)*,
Rule for type test of buffers (2012), GB7588—2003 and EN81-1:1998.

Issue date: 2013-09-05

NETEC

National Elevator Inspection and Testing Center

Note:

1. This certificate is to confirm the products on type and the tested sample on conformity, only valid for the products that are in conformance with the tested sample mentioned above.
2. The holder of this certificate has responsibilities to ensure that the products conform to the requirements of the codes and regulations, and to ensure that the products are consistent with the tested sample mentioned above.



Appendix

Configuration of Buffer (Energy Dissipation Type)

No. TX F330-014-13 0066

| | |
|----------------------------|--|
| Structure type | Regulate the flow by thin-wall hole Return by inner spring (Gas spring) |
| Permissible masses | 450kg~4545kg |
| Maximum impact speed | 2.34m/s |
| Maximum permissible stroke | 284mm |
| Model of liquid | Oil, ISO VG68 |
| Capability of liquid | 2.20L |

Issue date: 2013-09-05

